

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

## Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Fiddes Water Washable Klendoo Stripper
Product code	Klendo Stripper

#### 1.3. Details of the supplier of the safety data sheet

Company	Fiddes & Son Ltd
Address	Florence Works, Brindley Road, Cardiff, South Glamorgan, CF11 8TX
Web	www.fiddes.co.uk
Telephone	+44 (0)29 2034 0323
Fax	+44 (0)29 2034 3235
Email	info@fiddes.co.uk
Email address of the competent person	info@fiddes.co.uk

#### 1.4. Emergency telephone number


Emergency telephone number	1-352-323-3500
Company	INFOTRAC 24HR

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	T; R45 Xn; R20/21/22-68/20/21/22 Symbols: T: Toxic.
Main hazards	Harmful by inhalation, in contact with skin and if swallowed. May cause cancer. Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Muta. 2: H341; Carc. 1B: H350; STOT SE 2: H371; Aquatic Chronic 4: H413;

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Muta. 2: H341 - Suspected of causing genetic defects . Carc. 1B: H350 - May cause cancer . STOT SE 2: H371 - May cause damage to organs . Aquatic Chronic 4: H413 - May cause long lasting harmful effects to aquatic life.
Precautionary Statement: Prevention	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling.

## Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

## 2.2. Label elements

Precautionary Statement: Response	P270 - Do no eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P308+P313 - IF exposed or concerned: Get medical advice/attention.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	Dispose of this material and its container to hazardous or special waste collection point.

## 2.3. Other hazards

Other hazards	In use, may form flammable/explosive vapour-air mixture.
---------------	--

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methylene chloride (Dichloromethane)	602-004-00-3	75-09-2	200-838-9		70 - 80%	Carc. Cat. 3; R40	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	F; R11 T; R23/24/25-39/23/24/25	
Trichloroethylene	602-027-00-9	79-01-6	201-167-4		1 - 10%	Carc. Cat. 2; R45 Muta. Cat. 3; R68 R67 Xi; R36/38 R52/53	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methylene chloride (Dichloromethane)	602-004-00-3	75-09-2	200-838-9		70 - 80%	Carc. 2: H351;	
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;	
Trichloroethylene	602-027-00-9	79-01-6	201-167-4		1 - 10%	Carc. 1B: H350; Muta. 2: H341; Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 3: H412;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water. Seek medical attention.

## General information

	If you feel unwell, seek medical advice (show the label where possible). Keep the affected person warm and at rest. Remove contaminated clothing. Wash all contaminated clothing before reuse.
--	--

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

## 5.3. Advice for firefighters

	Wear: Self-contained breathing apparatus.
--	---

## SECTION 6: Accidental release measures

# Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Keep personnel away from spill. Evacuate personnel to a safe area.
--	---

## 6.2. Environmental precautions

	Do not allow product to enter drains.
--	---------------------------------------

## 6.3. Methods and material for containment and cleaning up

	Clean spillage area thoroughly with plenty of water. Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Wear suitable protective equipment. Do not breathe gas/fumes/vapour/spray. Use in a well ventilated area.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.
--	--

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Exposure Limit Values

Methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Methylene chloride (Dichloromethane)	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3: 350
	WEL 15 min limit ppm: 300	WEL 15 min limit mg/m3: 1060
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Trichloroethylene	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3: 550
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3: 820
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

### 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. Apron (Plastic or rubber). Rubber boots.
Eye / face protection	Approved safety goggles. Avoid contact with eyes.
Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Wear:.. Suitable respiratory equipment. Self-contained breathing apparatus.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

## Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

## 9.1. Information on basic physical and chemical properties

Appearance	Gel
Colour	Clear
Odour	Pungent

## Water solubility

Slightly soluble in water. Soluble in alcohol &amp; ether.

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Oxidising agents.

## 10.4. Conditions to avoid

Heat, sparks and open flames.

## 10.6. Hazardous decomposition products

None.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	May cause irritation to skin.
Repeated or prolonged exposure	Prolonged or repeated exposure may cause irritation to skin and mucous membranes.

## SECTION 12: Ecological information

## 12.1. Toxicity

No data is available on this product.

## SECTION 13: Disposal considerations

## General information

Can be incinerated if in compliance with local and national regulations. Dispose of in compliance with all local and national regulations.

## Disposal of packaging

Empty containers can be sent for disposal or recycling.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN2810

## 14.2. UN proper shipping name

TOXIC LIQUID, ORGANIC, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID	6.1
Subsidiary risk	-

## Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

## 14.3. Transport hazard class(es)

IMDG	6.1
Subsidiary risk	-
IATA	6.1
Subsidiary risk	-

## 14.4. Packing group

Packing group	III
---------------	-----

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	60
Tunnel Category	(E)

## IMDG

EmS Code	F-A S-A
----------	---------

## IATA

Packing Instruction (Cargo)	663
Maximum quantity	220 L
Packing Instruction (Passenger)	655
Maximum quantity	60 L

## SECTION 15: Regulatory information

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Disposal.
Text of risk phrases in Section 3	R11 - Highly flammable. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R36/38 - Irritating to eyes and skin. R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. R40 - Limited evidence of a carcinogenic effect. R45 - May cause cancer. R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R67 - Vapours may cause drowsiness and dizziness.
Text of Hazard Statements in Section 3	Carc. 2: H351 - Suspected of causing cancer . Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs .

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information
--	--

# Fiddes Water Washable Klendoo Stripper

Revision 3

Revision date 2016-11-09

---

**Further information**

---

	relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	---

---