

## SAFETY DATA SHEET

## **Fiddes Goldsize**

According to Regulation (EC) No 1907/2006, Annex II, as amended.Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Fiddes Goldsize	
Synonyms; trade names	Matt, Satin	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of t	the safety data sheet	
Supplier	Fiddes and son Florence works, Brindley road, Cardiff. CF11 8TX +44 (0) 2920 340323 +44 (0) 2920 343235 info@fiddes.co.uk	
Manufacturer	Fiddes and son Florence works, Brindley road, Cardiff. CF11 8TX +44 (0) 2920 340323 +44 (0) 2920 343235 info@fiddes.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	Infotrac 1-352-323-3500	
National emergency telephone 02920 340323 number		
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	tance or mixture	
Classification (EC 1272/2008)	-	
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Resp. Sens. 1 - H334 Asp. Tox. 1 - H304	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Danger	
Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	

Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/ shower.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	Naphtha (petroleum), hydrotreated heavy, Hydrocarbons, C9-11, n-alkanes, isoalkanes,cylics, <2% aromatics, Cobalt Zirconium Carboxylate
Supplementary precautionary statements	P233 Keep container tightly closed. P284 [In case of inadequate ventilation] wear respiratory protection. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P405 Store locked up.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Naphtha (petroleum), hydrotreated	l heavy	10-30%
CAS number: 64742-48-9	EC number: 265-150-3	
Classification		
Carc. 1B - H350		
Asp. Tox. 1 - H304		
Hydrocarbons, C9-11, n-alkanes, i aromatics	soalkanes,cylics, <2%	10-30%
CAS number: 64742-48-9	EC number: 919-857-5	REACH registration number: 01- 2119463258-33-0009
Classification		
Flam. Liq. 3 - H226		
STOT SE 3 - H336		
Asp. Tox. 1 - H304		
Cobalt Zirconium Carboxylate		1-5%
CAS number: —		
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Resp. Sens. 1A - H334		

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**General information** 

Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Rinse nose and mouth with water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms are severe or persist. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.	
Ingestion	Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.	
Skin contact	Rinse with water.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	May cause sensitisation or allergic reactions in sensitive individuals. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.	
Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.	
Skin contact	Prolonged or repeated exposure may cause the following adverse effects: May cause cancer.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	

## Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective<br/>clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,<br/>protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet. No action shall be<br/>taken without appropriate training or involving any personal risk. Do not touch or walk into<br/>spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or<br/>other sources of ignition near spillage. Promptly remove any clothing that becomes<br/>contaminated. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection<br/>if ventilation is inadequate.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

# **Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. May cause	
	cancer. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe st	orage, including any incompatibilities	
Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Flammable liquid storage.	

#### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

8.2. Exposure controls



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.	
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.	
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.	
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	

#### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties			
Appearance Liquid.			
Colour	Amber.		
Odour	Characteristic.		
рН	Not applicable.		
Flash point	42°C CC (Closed cup).		
Evaporation rate	No information available.		
Relative density	0.88 gm/lt @ 20°C/°F		
9.2. Other information			

SECTION 10: Stability and reactivity			
10.1. Reactivity			
Reactivity	See the other subsections of this section for further details.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.		
10.3. Possibility of hazardous i	reactions		
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.		
10.4. Conditions to avoid			
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.		
10.5. Incompatible materials			
Materials to avoid	Oxidising materials. Acids - oxidising.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
SECTION 11: Toxicological inf	formation		
11.1. Information on toxicologic	cal effects		
Acute toxicity - oral			
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation Notes (inhalation $LC_{50}$ )	Based on available data the classification criteria are not met.		
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.		
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.		
Respiratory sensitisation Respiratory sensitisation	There is evidence that the product can cause respiratory hypersensitivity.		
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.		
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.		
Carcinogenicity Carcinogenicity	May cause cancer.		
IARC carcinogenicity	None of the ingredients are listed or exempt.		
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.		

Reproductive toxicity - development	Based on available data the classification criteria are not met.			
Specific target organ toxicity -	single exposure			
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.			
Specific target organ toxicity -	repeated exposure			
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.			
Aspiration hazard				
Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.			
General information	May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.			
Inhalation	May cause sensitisation or allergic reactions in sensitive individuals.			
Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.			
Skin contact	No specific symptoms known.			
Eye contact	No specific symptoms known.			
Route of entry	Ingestion Inhalation Skin and/or eye contact			
Target organs	No specific target organs known.			
SECTION 12: Ecological Infor	mation			
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.			
12.1. Toxicity				
Toxicity	Based on available data the classification criteria are not met.			
12.2. Persistence and degrada	ability			
Persistence and degradability	The degradability of the product is not known.			
12.3. Bioaccumulative potentia	al			
Bioaccumulative potential	– No data available on bioaccumulation.			
12.4. Mobility in soil				
Mobility	No data available.			
12.5. Results of PBT and vPvE	3 assessment			
12.6. Other adverse effects				
Other adverse effects	None known.			
SECTION 13: Disposal consid	erations			
13.1. Waste treatment method	s			
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle			

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

#### **Disposal methods**

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

#### **SECTION 14: Transport information**

14.1. UN number	
UN No. (ADR/RID)	1263
UN No. (IMDG)	1263
UN No. (ICAO)	1263
UN No. (ADN)	1263
14.2. UN proper shipping name	2
Proper shipping name (ADR/RID)	PAINT RELATED MATERIAL
Proper shipping name (IMDG)	PAINT RELATED MATERIAL
Proper shipping name (ICAO)	PAINT RELATED MATERIAL
Proper shipping name (ADN)	PAINT RELATED MATERIAL
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	Ш
IMDG packing group	Ш
ADN packing group	Ш
ICAO packing group	Ш

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6.	Special	precautions	for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y

## Hazard Identification Number 30 (ADR/RID)

Tunnel restriction code (D/E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

#### **SECTION 16: Other information**

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Asp. Tox. = Aspiration hazard Carc. = Carcinogenicity Resp. Sens. = Respiratory sensitisation
Classification procedures according to Regulation (EC) 1272/2008	Asp. Tox. 1 - H304: Resp. Sens. 1 - H334: Carc. 1B - H350: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.

Training advice	Only trained personnel should use this material.
SDS number	4591
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H350 May cause cancer.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.