

SAFETY DATA SHEET

**Fiddes Grainfiller** 

According to Regulation (EC) No 1907/2006, Annex II, as amended.Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Fiddes Grainfiller	
Synonyms; trade names	LIGHT OAK, MEDIUM OAK, DARK OAK, LIGHT MAHOGANY, MEDIUM MAHOGANY, DARK MAHOGANY, TEAK, WALNUT	
1.2. Relevant identified uses o	f the substance or mixture and uses advised against	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet	
Supplier	Fiddes and son Florence works, Brindley road, Cardiff. CF11 8TX +44 (0) 2920 340323 +44 (0) 2920 343235 info@fiddes.co.uk	
Manufacturer	Fiddes and son Florence works, Brindley road, Cardiff. CF11 8TX +44 (0) 2920 340323 +44 (0) 2920 343235 info@fiddes.co.uk	
1.4. Emergency telephone nur	nber	
Emergency telephone	Infotrac 1-352-323-3500	
National emergency telephone number	9 02920 340323	
SECTION 2: Hazards identifica	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Asp. Tox. 1 - H304	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements Pictogram		
Signal word	Danger	

Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/ shower.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	Hydrocarbons, C9-11, n-alkanes, isoalkanes,cylics, <2% aromatics, Hydrocarbons, C9, Aromatics
Supplementary precautionary statements	P233 Keep container tightly closed. P273 Avoid release to the environment. P312 Call a POISON CENTER/ doctor if you feel unwell.

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

Organic Pigment		60-100%
CAS number: —		
Classification Not Classified		
Hydrocarbons, C9-11, n-alkanes, aromatics	isoalkanes,cylics, <2%	10-30%
CAS number: 64742-48-9	EC number: 919-857-5	REACH registration number: 01- 2119463258-33-0009
Classification		
Flam. Liq. 3 - H226		
STOT SE 3 - H336		
Asp. Tox. 1 - H304		
Hydrocarbons, C9, Aromatics		5-10%
CAS number: —		
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
STOT SE 3 - H336		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		

Skin contact

Eye contact

Inhalation

Ingestion

Skin contact

Eye contact

Notes for the doctor

5.1. Extinguishing media

Unsuitable extinguishing

media

Suitable extinguishing media

SECTION 5: Firefighting measures

Protection of first aiders

General information

## **Fiddes Grainfiller**

ethanol	1-5%
CAS number: 64-17-5	EC number: 200-578-6
Oleasification	
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2 - H319	
The Full Text for all R-Phr	ases and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid mea	isures
4.1. Description of first aid	l measures
General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

No specific symptoms known. May be slightly irritating to eyes.

Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

The severity of the symptoms described will vary dependent on the concentration and the

A single exposure may cause the following adverse effects: Headache. Exhaustion and

The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder

or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Do not use water jet as an extinguisher, as this will spread the fire.

First aid personnel should wear appropriate protective equipment during any rescue.

Rinse with water.

length of exposure.

No specific symptoms known.

No specific symptoms known.

weakness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

attention if any discomfort continues.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard. This product is toxic.		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate.		
6.2. Environmental precaution	S		
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.		
6.3. Methods and material for	containment and cleaning up		
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Provide adequate ventilation. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.		
6.4. Reference to other section	ns		

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

7.1. Precautions for safe hand	lling		
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.		
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Store away from incompatible materials (see Section 10). Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.		
Storage class	Flammable liquid storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Controls/personal protection			
8.1. Control parameters			
Occupational exposure limits			
Organic Pigment			

Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust

#### ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

### **Organic Pigment**

Workers - Inhalation; Long term local effects: 10 mg/m<sup>3</sup>

### DNEL

#### 8.2. Exposure controls





Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

No specific hand protection recommended. Avoid contact with skin.

Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
SECTION 9: Physical and Chemical Properties	

# 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Paste.	
Colour	Various colours.	
Odour	Aromatic.	
рН	No information available.	
Melting point	No information available.	
Initial boiling point and range	No information available.	
Flash point	43°C	
Evaporation rate	No information available.	
Solubility(ies)	Miscible with the following materials: Aromatic solvents.	
Viscosity	No information available.	

9.2. Other information

SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	See the other subsections of this section for further details.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	s reactions	
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.	
10.5. Incompatible materials		

Materials to avoid	Oxidising materials. Acids - oxidising.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	22,000.0
Acute toxicity - inhalation	
Notes (inhalation LC <sub>50</sub> )	Acute Tox. 4 - H332 Harmful if inhaled.
ATE inhalation (vapours mg/l)	220.0
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.		
Ingestion	No specific symptoms known.		
Skin contact	No specific symptoms known.		
Eye contact	No specific symptoms known.		
Route of entry	Ingestion Inhalation Skin and/or eye contact		
Target organs	No specific target organs known.		
SECTION 12: Ecological Infor	mation		
12.1. Toxicity			
Toxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.		
12.2. Persistence and degrad	ability		
Persistence and degradability	The degradability of the product is not known.		
12.3. Bioaccumulative potentia	al		
Bioaccumulative potential	No data available on bioaccumulation.		
12.4. Mobility in soil			
Mobility	No data available.		
12.5. Results of PBT and vPvB assessment			
12.6. Other adverse effects			
Other adverse effects	None known.		
SECTION 13: Disposal consid	lerations		
13.1. Waste treatment method			
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.		
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.		
SECTION 14: Transport inform	nation		

14.1. UN number	
UN No. (ADR/RID)	1263
UN No. (IMDG)	1263
UN No. (ICAO)	1263

UN No. (ADN)	1263	
14.2. UN proper shipping name	)	
Proper shipping name (ADR/RID)	PAINT RELATED MATERIAL	
Proper shipping name (IMDG)	PAINT RELATED MATERIAL	
Proper shipping name (ICAO)	PAINT RELATED MATERIAL	
Proper shipping name (ADN)	PAINT RELATED MATERIAL	
14.3. Transport hazard class(es)		
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	
Transport labels		
14.4. Packing group		
ADR/RID packing group	III	
IMDG packing group	III	
ADN packing group	III	
ICAO packing group	III	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
EmS	F-E, S-E	
ADR transport category	3	
Emergency Action Code	•3Y	
Hazard Identification Number (ADR/RID)	30	
Tunnel restriction code	(D/E)	

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Commission Regulation (EU) No 2015/830 of 28 May 2015.</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> </ul>

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>	
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic)	
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H332: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.	
Training advice	Only trained personnel should use this material.	
Revision date	13/09/2017	
Revision	2	
Supersedes date	20/06/2017	
SDS number	4636	

Hazard statements in full	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H226 Flammable liquid and vapour.</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>H312 Harmful in contact with skin.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H336 May cause drowsiness or dizziness.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.